



YORK
TIMBERS

Product Guide

Wholesale

01 Plywood

Our warehouses offer the following range of plywood products:

Grades	Appearance		Structural				Builders	Packing Ply	Rejects
	BB	BC	C+C	Oil	CCA	Resin Face	BGL	PP	Reject
Thickness (mm)	4	4	-	-	-	-	-	-	-
	6	6	-	-	-	-	-	6	6
	9	9	-	-	-	-	-	9	9
	12	12	-	-	-	-	-	12	12
	15	15	-	-	-	-	-	15	15
	18	18	18	18	18	18	18	-	18
	21	21	21	21	21	21	21	-	21

York Timbers' plywood products comply with ISPM15, the International Standards for Phytosanitary Measures, regulating the treatment of wood packaging materials used in international trade.

Plywood products with a nominal thickness of 18mm and 21mm, in grades C+C, Oil, and CCA, also comply with SANS 929, the South African plywood standard.

By maintaining these certifications, York Timbers reinforces its commitment to delivering high-quality, globally recognised plywood products.



02 Industrial Timber

Our warehouses offer the following range of industrial timber products:

Products	Nominal Dimensions			Grades	Standards of Conformance
	Thickness (mm)	Width (mm)	Length (mm)		
Industrial Timber	25	76/114/152/228	900 – 6600	Furniture	York Timbers in-house specification, tight knots, no blue
	19	76/102	900 – 3300	Industrial	York Timbers in-house specification
	25	76/114/152	900 – 6600		
	19	76/102	900 – 3300	Crating	York Timbers in-house specification
	25	76/114/152	900 – 6600		

Our warehouses offer the following range of pallet materials:

Products	Nominal Dimensions		Grades	Standards of Conformance
	Thickness (mm)	Width (mm)		
Industrial Timber	19	76/102	Industrial	York Timbers in-house specification
	22	76/102/114/127/152		
	25	76/102/114/127/152		
	38	76/102		
	45	76/90/102		
	50	102/152		
	76	102/152		
	90	76/102		
	102	102/152		
	19	76/102	Crating	York Timbers in-house specification
	22	76/102/114/127/152		
	25	76/102/114/127/152		
	38	76/102		
	45	76/90/102		
	50	102/152		
	76	102/152		
	90	76/102		
	102	102/152		

03 Structural Timber

Our warehouses offer the following range of finger-jointed and solid structural timber products:

Products	Nominal Dimensions			Grades	Standards of Conformance
	Thickness (mm)	Width (mm)	Length (mm)		
Branding & Battens	38	38	3000 - 6600	BBB	SANS 1783 - Part 1 SANS 1783 - Part 4 SANS 10096: Finger-jointed timber SANS 1288: CCA treated timber*
	38	50	3000 - 6600		
Structural Timber	38	76	3000 - 6600	S5P	SANS 1783 - Part 1 SANS 1783 - Part 2 SANS 10096: Finger-jointed timber SANS 1288: CCA treated timber*
	38	114	3000 - 6600	S5P/S7P	
	38	152	3000 - 6600	S5P/S7P	
	38	228	3000 - 6600	S5P/S7P	
	50	76	3000 - 6600	S5P	
	50	152	3000 - 6600	S5P	
	50	228	3000 - 6600	S5P	
	76	228	3000 - 6600	S5P/S5R	

* Dependent on product application and requirement



04 Utility Timber

Our warehouses offer the following range of finger-jointed and solid utility timber products:

Products	Nominal Dimensions			Grades	Standards of Conformance
	Thickness (mm)	Width (mm)	Length (mm)		
Branding & Battens	38	38	3000 - 6600	BBX	York Timbers in-house specification
	38	50	3000 - 6600		
Structural Timber	38	76	3000 - 6600	UTP	York Timbers in-house specification
	38	114	3000 - 6600		
	38	152	3000 - 6600		
	38	228	3000 - 6600		
	50	76	3000 - 6600		
	50	152	3000 - 6600		
	50	228	3000 - 6600		
	76	228	3000 - 6600		

York Timbers' structural and industrial timber products comply with ISPM15, the International Standard for Phytosanitary Measures. This standard governs the treatment of wood packaging materials used in international trade, ensuring that our products meet global phytosanitary regulations and contribute to sustainable and safe export practices.

By adhering to ISPM15, York Timbers demonstrates its commitment to quality, compliance, and environmental responsibility.



05 Other Wholesale Products

The following products are available at our Germiston (Roodekop) Warehouse only:

Products		Nominal Dimensions		
		Thickness (mm)	Width (mm)	Length (mm)
Shelving	Laminated Shelving	20	225	2100/2400/2700/3000
		20	305	2100/2400/2700/3000
		20	380	2100/2400/2700/3000
		20	455	2100/2400/2700/3000
		20	530	2100/2400/2700/3000
		20	610	2100/2400/2700/3000
Hardwood Mouldings	Backing Boards	19	90	450/600
	Corner Fillet	19	25	3000/3600
		25	32	3000/3600
	Cove Cornice	20	65	3000/3600
	Cover Strip	10	32	3000/3600
		10	45	3000/3600
	Half Round	8	19	3000/3600
		8	32	3000/3600
	Quarter Round	32	32	3000/3600
		16	16	3000/3600
	Scotia	18	32	3000/3600
	Skirting	13	45	3000/3600
		13	70	3000/3600
		13	94	3000/3600
		20	90	3000/3600
		20	94	3000/3600
		20	145	3000/3600
	Saligna Skirting	20	64	3000/3600
		20	69	3000/3600

Products		Nominal Dimensions		
		Thickness (mm)	Width (mm)	Length (mm)
Pine Mouldings	Coved Cornice	20	65	3000/3600
	Cover Strip	10	32	3000/3600
		10	45	3000/3600
	DIY	20	105	2100/2400/2700/3000
	Fascia	32	22	3000-6600
	Flooring	22	102	3000-3600
	Half Round	8	19	3000-3600
		8	32	3000-3600
	Quarter Round	16	16	3000-3600
		19	19	3000-3600
		32	32	3000-3600
	Scotia	18	32	3000-3600
	Shiplap	30	102	3000-3600
	Skirting	20	70	3000-3600
		20	94	3000-3600
		20	45	3000-3600
		20	60	3000-3600
Ceiling	Saligna	13	64	0900/1200/1500/1800/2100/2400
	Pine	13	64	0900/1200/1500/1800/2100/2400
Decking	Saligna Decking	22	70	3000/3600
	Saligna Decking Ripple	22	70	3000/3600
	Pine Decking Ripple	20	90	3000/3600
Boards	Masonite Board	3.2	1220	2440
		6.4	1220	2440
	Masonite Pegboard	3.2	1220	2440
	Particle Board (Chip board)	16	1830	2750
	Melamine Board	16	1830	2750
	Medium-density fibreboard (MDF)	16	1830	2750
	Softboard	10	1220	2440
	Treated Softboard	10	1220	2440
		13	1220	2440
Other	Dunnage Bearer Poles	75	75	1200/2400
	Saligna Scaffold Planks	50	230	3000/3600/4200/4800
	Saligna Sole Plates	50	230	450/500